


LEGATO MOBILE SOTTOLAVABO RETTANGOLARE / QUADRATO

SCHEDA INFORMATIVA DEL PRODOTTO



Titolo dell'articolo	Villeroy & Boch Legato Mobile sottolavabo, con illuminazione, 2 vani estraibili, 1400 x 380 x 500 mm, Glossy White / Glossy White
Numero dell'articolo	B589L0DH
Montaggio / Tipo di montaggio	montato a parete
Tipo di apertura	2 vani estraibili
Dotazione	2 x divisori in vetro alti , 4 x divisori in vetro bassi 2 x scatola accessori L 2 x vani estraibili con tappeto antiscivolo
In dotazione	1 x mobile sottolavabo , 1 x set di fissaggio
Posizione del lavabo	lavabo a destra
Mobile con foro per rubinetteria	Foro per rubinetteria preforato in fabbrica
Profondità in mm	500
Larghezza in mm	1400
Altezza in mm	380
Collezione	Legato
Adatto a	lavabi per montaggio superficiale selezionati
Funzioni sedile	• con SoftClosing • con illuminazione
Materiale frontale	MDF
Finitura del frontale	Pellicola in acrilico
Materiale scocca	MDF
Finitura della scocca	Pellicola in acrilico
Materiale piano di copertura	Truciolato
Forma	Rettangolare / quadrato
Codice colore	Glossy White
Codice colore del piano di copertura	Glossy White
Con illuminazione	sì
compatibile con Smart Home	no

B589L0DH



Technical drawing showing the dimensions and specifications for the 220-240V power supply unit. The drawing includes a top view and a side view.

Top View Dimensions:

- Overall width: 1400
- Internal width segments: 610 and 690
- Overall height: 380
- Internal height segments: 150 and 150
- Mounting hole diameter: $\varnothing 20$
- Mounting hole spacing: 150
- Internal width segments: 1050 and 350
- Mounting hole diameter: $\varnothing 20$
- Mounting hole spacing: 150
- Internal width segments: 610 and 690
- Overall width: 1400

Side View Dimensions:

- Overall width: 500
- Overall height: 340
- Internal width segments: 148 and 326
- Overall width: 479

Electrical Specifications:

N $\frac{1}{2}$ L 220 - 240V

Table of Specifications:

	1	2	3	4	H2	A1
5A25-4548	X	X	X	X	1055	605
5A26-6005	X				1055	605
5A27-6005	X				1055	605
4179-43	X	X	X	X	1030	630
4188-61	X	X	X	X	1030	630
4178-41	X				1030	630
4172-58	X	X			1030	630
4A1560	X	X	X	X	1045	630
4A1956	X	X	X	X	1045	630
4A2138	X	X	X	X	1045	630
4A2056	X	X	X	X	1045	630
4143-61	X	X	X	X	1015	605
5148-0001	X	X	X	X	1010	590
4A45-0001	X	X	X	X	1020	590
5146-0001	X				1020	590
4A46-0001	X	X	X	X	1020	600
5151-0001	X	X	X	X	1010	590
4A47-0001	X	X	X	X	1010	600
5151-10/11	X	X	X	X	1020	590
4A48-0001	X				1020	600
5154-0001	X	X			1010	590
4A49-0001	X	X			1020	600
4A50-0001	X				1015	595
4110-60	X	X			1006	595